

## iVMS-4200 Mobile Surveillance Client Software

iVMS-4200 Mobile Surveillance is a versatile security management software for the mobile devices (e.g. mobile video recorder, body camera, and portable speed dome). It provides multiple functionalities, including vehicle locating, history pattern playback, live view, remote search and playback, alarm receiving, etc., for the connected devices to meet the needs of monitoring task.

### Main Feature

#### Live View

- View settings and instant playback
- Live view on main/auxiliary screen
- Up to 64-window division for standard screen, and 48-window division for the wide screen
- Custom window division configurable

#### Playback

- Dual-stream playback (it should be supported by the device)
- Supports playback at 16x playing speed
- Display driving pattern
- Clipping the recorded video files
- Download video files for multiple cameras synchronously

#### Network

- Adding devices by EHome account
- Updating device online
- Two-way audio with mobile device


#### PTZ Control (it should be supported by the device)

- Remote PTZ control
- Preset setting and calling

#### GIS Map

- Locate the mobile device on map
- Track the mobile device in real time



- 
- Play back the history driving pattern
  - Distance measurement

## Specification

<b>Model</b>	<b>iVMS-4200 Mobile Surveillance</b>
Database	SQLite
Mobile Device	Supports up to 64 mobile devices
Channel	Supports up to 256 channels
Group	Supports up to 256 groups Supports up to 256 channels for each group
Live View	Supports up to 64-ch live view at a time
Auxiliary Screen Preview	Supports up to 4 auxiliary screens for live view
Playback	Supports up to 16-ch playback at a time
Download	Supports up to 16 downloading tasks at a time

## System Requirement

Features		Requirements
Minimum	Processor	Intel® Core™ i5-4590 @ 3.30 GHz
	Memory	8 GB of RAM
	Operating System	Microsoft® Windows 7 (64-bit)
	Video Card	NVIDIA® GeForce GTX 970
Recommended	Processor	Intel® Xeon® E3-1226 V3 @ 3.30GHz
	Memory	8 GB of RAM
	Operating System	Microsoft® Windows 7 (64-bit)
	Video Card	Intel® HD Graphics P4600
High Performance	Processor	Intel® Core™ i7-6700K @ 4GHz
	Memory	16 GB of RAM
	Operating System	Microsoft® Windows 7 (64-bit)
	Video Card	NVIDIA® GeForce GTX 1070

## Live View Performance

### Performance under Different Client Requirements (Software Decoding)

Encoding Format	Resolution	Bit Rate (Mbps)	Frame Rate (fps)	Maximum Number of Cameras Viewed Simultaneously		
				Minimum	Recommended	High Performance
H.264	720p	3	30	27	25	42
	1080p	6	30	13	12	20
	3 MP	8	30	9	9	14
	8 MP	16	30	3	2	5
H.264+	720p	1	30	33	29	65

	1080p	3	30	18	14	29
	3 MP	4	30	10	9	18
	720p	1	30	26	24	41
H.265	1080p	3	30	10	9	16
	3 MP	4	30	6	6	11
H.265+	720p	0.5	30	29	26	45
	1080p	1	30	13	11	21
	3 MP	2	30	8	7	14


### Performance under Different Client Requirements (Hardware Decoding)

Encoding Format	Resolution	Bit Rate (Mbps)	Frame Rate (fps)	Maximum Number of Cameras Viewed Simultaneously	
				Recommended	High Performance
H.264	1080p	6	30	25	25
	8 MP	16	30	6	6
H.264+	720p	1	30	45	45
	1080p	3	30	24	23
	3 MP	4	30	19	17
H.265	720p	1	30	N/A	45
	1080p	3	30	N/A	23
	3 MP	4	30	N/A	15
H.265+	720p	0.5	30	N/A	45
	1080p	1	30	N/A	22
	3 MP	2	30	N/A	15

\* For the field of N/A, the video card under the recommended system requirement does not support H.265 or H.265+.

\* The above parameters are for reference only. Under the same resolution and frame rate, the bitrate of cameras from different manufacturers may be different. Moreover, the decoding performance from different manufactures may also be different.

## Typical Application



Distributed by



## HIKVISION®

### Headquarters

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
overseasbusiness@hikvision.com

**Hikvision USA**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Australia**  
T +61-2-8599-4233  
salesau@hikvision.com

**Hikvision India**  
T +91-22-28469900  
sales@pramahikvision.com

**Hikvision Canada**  
T +1-866-200-6690  
sales.canada@hikvision.com

**Hikvision Thailand**  
T +662-275-9949  
sales.thailand@hikvision.com

**Hikvision Europe**  
T +31-23-5542770  
sales.eu@hikvision.com

**Hikvision Italy**  
T +39-0438-6902  
info.it@hikvision.com

**Hikvision Brazil**  
T +55 11 3318-0050  
Latam.support@hikvision.com

**Hikvision Turkey**  
T +90 (216)521 7070- 7074  
sales.tr@hikvision.com

**Hikvision Malaysia**  
T +601-7652-2413  
sales.my@hikvision.com

**Hikvision UK & Ireland**  
T +01628-902140  
sales.uk@hikvision.com

**Hikvision South Africa**  
Tel: +27 (10) 0351172  
sale.africa@hikvision.com

**Hikvision France**  
T +33(0)1-85-330-450  
info.fr@hikvision.com

**Hikvision Kazakhstan**  
T +7-727-9730667  
nikia.panfilov@hikvision.ru

**Hikvision Vietnam**  
T +84-974270888  
sales.vt@hikvision.com

**Hikvision UAE**  
T +971-4-4432090  
salesme@hikvision.com

**Hikvision Singapore**  
T +65-6684-4718  
sg@hikvision.com

**Hikvision Spain**  
T +34-91-737-16-55  
info.es@hikvision.com

**Hikvision Tashkent**  
T +99-87-1238-9438  
uzb@hikvision.ru

**Hikvision Hong Kong**  
T +852-2151-1761  
info.hk@hikvision.com

**Hikvision Russia**  
T +7-495-669-67-99  
saleru@hikvision.com

**Hikvision Korea**  
T +82-(0)31-731-8817  
sales.korea@hikvision.com

**Hikvision Poland**  
T +48-22-460-01-50  
info.pl@hikvision.com

**Hikvision Indonesia**  
T +62-21-2933759  
Sales.Indonesia@hikvision.com

**Hikvision Colombia**  
sales.colombia@hikvision.com