

54.8 cm (21.6") Full HD Wide LCD Monitor

WV-LW2200

47.0 cm (18.5") HD Wide LCD Monitor

WV-LW1900

NTSC WV-LW2200 (120 V AC) PAL WV-LW2200 (220 ~ 240 V AC) WV-LW1900 (120 V AC)

WV-LW1900 (220 ~ 240 V AC)



High Resolution Wide LCD Monitor with Exceptional Image Quality

WV-LW2200/LW1900 is equipped with proprietary Panasonic image-processing technology that delivers images with HD quality. WV-LW2200/LW1900 is also equipped with various types of signal terminal which suits for various applications. The energy saving becomes more efficient by automatic power-save function.

Key Features

- Screen size: 54.8 cm (21.6") / 47.0 cm (18.5") diagonal
- Screen resolution: 1,920 x 1,080 (Full HD) / 1,366 x 768 (HD)
- Horizontal resolution: 500 TV lines for composite video
- High contrast: 1000 : 1 (typical)
- Full color display: Approx. 16.7 million colors
- High picture quality and high resolution using motion adaptive Interlace/Progressive converter technology
- HDMI 1080p compatible
- BNC composite input with loop through output, HDMI input and RGB for PC input
- Max. 0.5 W speaker output
- Selectable color temperature
- Selectable gamma curve
- Selectable screen aspects and scanning ranges: 16:9 full, 16:9 zoom, 4:3 full, 4:3 zoom and dot-by-dot
- Picture setup and adjustment using OSD setup menus and front panel buttons
- Multi-language setup menus: English, French, German, Spanish, Italian, Chinese, Russian and Japanese

- The ECO mode (Backlight OFF) is automatically activated after no input signal is provided for 10 seconds or more.
- VESA standard mounting holes are equipped.
- A security slot in the back allows insertion of an industry-standard anti-theft lock.
- Power supply: 120 V AC (NTSC), 220 ~ 240 V AC (PAL)

Standard Accessories


- . Operating Instructions .. . 1 pc. • Power Cord (NTSC)...... 1 pc.
- Monitor Stand
- . Monitor Stand Mounting Screw ... 4 pcs. • Power Cord (PAL) ..

Specifications

Specifications Model No.			WV-LW2200	WV-LW1900
Display Display Size		, Sizo	54.8 cm (21.6") diagonal	47.0 cm (18.5") diagonal
Panel	Number of Pixels		1,920 x 1,080 (Full HD)	1,366 x 768 (HD)
		Area (H x V)	478 mm x 269 mm	410 mm x 230 mm
	Display Area (n x v)		(18-13/16" x 10-9/16")	(16-1/8" x 9-1/16")
	Horizontal Resolution		500 TV lines (analog video)	
			16:9	
	Aspect Ratio Brightness*		300 cd/m² (Center 1 point, Typical)	
	Contrast Ratio*		1000 : 1 (Typical)	
	Response Time (Rise/Fall)*		1.3 ms / 3.7 ms (Typical)	
	Viewing Angle (L/R/U/D)		85° / 85° / 80° / 80° (CR>10, Typical)	
	Display Colors*		Approx. 16.7 million colors	
Input / Output	Composite Video Input		1x Composite Video Input (BNC)	
	Oit- Vide- TV C		with auto termination loop through output (BNC)	
	Composite Video TV System		NTSC/PAL (automatic select)	
	HDMI (Video/Audio) Input		1x HDMI input (type A connector)	
	HDMI Available Format		640x480p@60 Hz, 720x480i@60 Hz, 720x480p@60 Hz,	
			720x576i@50 Hz, 720x576p@50 Hz, 1,280x720p@50 Hz / 60 Hz,	
	DODAKI I I (720)		1,920x1,080i@50 Hz / 60 Hz, 1,920x1,080p@50 Hz / 60 Hz	
	RGB Video Input (PC)		1x 15pin mini D-sub, 0.7 V [p-p] / 75 Ω	
	RGB Frequency Range		640x480@60 Hz / 72 Hz / 75 Hz (VGA)	
			800x600@56 Hz / 60 Hz / 72 Hz / 75 Hz (SVGA)	
			1,024x768@60 Hz / 70 Hz / 75 Hz (XGA)	
			1,152x864@75 Hz	
			1,280x960@60 Hz	
			1,280x1,024@60 Hz / 75 Hz (SXGA)	
			1,280x720@60 Hz	
			1,360x768@60 Hz	
	Audio Input		1x –8 dBV / Hi-Z, (RCA pin jack)	
	Speaker		1x 0.5 W	
Controls	Audio		UP/Down by front button	
	Input Select		VIDEO / HDMI / PC by front button	
	Adjustment for Picture		BRIGHTNESS, CONTRAST, SHARPNESS, COLOR Level,	
			TINT (except PAL) by setup menu	
	Adjustment for Screen		H Position, V Position, CLOCK (PC only), PHASE (PC only),	
			AUTO by setup menu	
	Color Temperature		6500 °K / 9300 °K / User by setup menu	
	Gamma Correction		2.2 / 1.8 by setup menu	
	Scanning		16:9 Full / 4:3 Full / 16:9 Zoom (except RGB) / 4:3 Zoom (except RGB)	
			/ Dot-by-Dot (except composite video) by setup menu	
	Power-save Feature		Regular Mode / ECO Mode (Reduced Luminance) /	
			ECO Mode (Backlight OFF)	
	Setup Menu Language		English, French, German, Spanish, Italian, Chinese, Russian, Japanese	
	Power Source		• • • • •	~ 240 V AC 50 Hz / 60 Hz (PAL)
deneral	Power Consumption		Regular mode: 51 W, ECO	Regular mode: 44 W, ECO
	T oner concumption		mode (Reduced Luminance):	mode (Reduced Luminance):
			approx. 29 W, ECO mode	approx. 24 W, ECO mode
			(Backlight OFF): approx. 13 W,	
			Stand by: 1 W or less	Stand by: 1 W or less
	Ambient Operating Temperature			
	Ambient Operating Temperature			
	Ambient Operating Humidity			
	Dimensions (W x H x D) Weight		531 mm x 414 mm x 235 mm	463 mm x 374 mm x 235 mm
			(20-7/8" x 16-5/16" x 9-1/4")	(18-1/4" x 14-3/4" x 9-1/4")
			(including the monitor stand)	(including the monitor stand)
			7.7 kg (17.0 lbs.)	6.5 kg (14.3 lbs.)
			(including the monitor stand)	(including the monitor stand)
Safety/EM				
TV System	1	NTSC models	UL (UL60065), FCC (Part15 ClassA),	
			C-UL (CAN/CSA C22.2 No.60065), DOC (ICES003 ClassA)	
		PAL models	CE (EN60065, EN55022 ClassB, EN55024), GOST(GOST R 60065)	

^{*} Standard specifications of LCD panel (display) installed in WV-LW2200/LW1900

Appearance



- Trademarks and registered trademarks
 HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing, LLC.
- Important
 Safety Precaution: carefully read the operating instructions and installation manual before using this product.

- All TV pictures are simulated.

- Weights and dimensions are approximate.
 Specifications are subject to change without notice.
 These products may be subject to export control regulations.
 All product pictures are NTSC models.

DISTRIBUTED BY:

Panasonic